

**3/2, SINGLE SOLENOID, NC, AIR RETURN/SPRING ASSIST**

**B SERIES**



Part No.	Mounting	Port Size	Electrical Interface	Function	Voltage	W / VA	Max Pressure	Flow (Cv)
B5V1ADB49C	Inline	1/4	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	3-Way, 2-Position NC	24DC	4.8 w	145	1.4
B5V1ADB53C	Inline	1/4	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	3-Way, 2-Position NC	120AC	6.3 va	145	1.4
B5V1BB549C	Inline	1/4	15mm 3-PIN DIN 43560C (Male Only)	3-Way, 2-Position NC	24DC	1.2 w	145	1.4
B5V1BB553C	Inline	1/4	15mm 3-PIN DIN 43560C (Male Only)	3-Way, 2-Position NC	120AC	1.6 va	145	1.4
B6V2ADB49A	Inline	3/8	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	3-Way, 2-Position NC	24DC	4.8 w	145	2.7
B6V2ADB53A	Inline	3/8	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	3-Way, 2-Position NC	120AC	6.3 va	145	2.7
B7V3ADB49A	Inline	1/2	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	3-Way, 2-Position NC	24DC	4.8 w	145	5.9
B7V3ADB53A	Inline	1/2	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	3-Way, 2-Position NC	120AC	6.3 va	145	5.9
B8V4ADB49A	Inline	3/4	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	3-Way, 2-Position NC	24DC	4.8 w	145	7
B8V4ADB53A	Inline	3/4	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	3-Way, 2-Position NC	120AC	6.3 va	145	7

**5/2, SINGLE SOLENOID, AIR RETURN/SPRING ASSIST**

**B SERIES**



Part No.	Mounting	Port Size	Electrical Interface	Function	Voltage	W/VA	Max Pressure	Flow (Cv)
B3E0BB553C	Inline	1/8	15mm 3-PIN DIN 43560C (Male Only)	4-Way, 2-Position	120AC	6.3 va	145	0.75
B5E1ADB53C	Inline	1/4	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 2-Position	120AC	6.3 va	145	1.4
B5E1BB549C	Inline	1/4	15mm 3-PIN DIN 43560C (Male Only)	4-Way, 2-Position	24DC	4.8 w	145	1.4
B5E1BB553C	Inline	1/4	15mm 3-PIN DIN 43560C (Male Only)	4-Way, 2-Position	120AC	1.6 va	145	1.4
B6E2ADB49A	Inline	3/8	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 2-Position	24DC	4.8 w	145	2.7
B6E2ADB53A	Inline	3/8	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 2-Position	120AC	6.3 va	145	2.7
B7E3ADB49A	Inline	1/2	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 2-Position	24DC	4.8 w	145	5.9
B7E3ADB53A	Inline	1/2	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 2-Position	120AC	6.3 va	145	5.9
B8E4ADB49A	Inline	3/4	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 2-Position	24DC	4.8 w	145	7
B8E4ADB53A	Inline	3/4	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 2-Position	120AC	6.3 va	145	7

**5/2, SINGLE REMOTE PILOT**

**B SERIES**



Part No.	Mounting	Port Size	Electrical Interface	Function	Voltage	W/VA	Max Pressure	Flow (Cv)
B3F000XXC	Inline	1/8	REMOTE PILOT VALVE	4-Way, 2-Position	N/A		145	0.75
B6F2000XXA	Inline	3/8	REMOTE PILOT VALVE	4-Way, 2-Position	N/A		145	2.7

**5/2, DOUBLE SOLENOID VALVE**

**B SERIES**



Part No.	Mounting	Port Size	Electrical Interface	Function	Voltage	W/WA	Max Pressure	Flow (Cv)
B320BB549C	Inline	1/8	15mm 3-PIN DIN 43560C (Male Only)	4-Way, 2-Position	24DC	1.2 w	145	0.75
B320BB553C	Inline	1/8	15mm 3-PIN DIN 43560C (Male Only)	4-Way, 2-Position	120AC	1.6 va	145	0.75
B521ADB49C	Inline	1/4	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 2-Position	24DC	4.8 w	145	1.4
B521ADB53C	Inline	1/4	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 2-Position	120AC	6.3 va	145	1.4
B521BB549C	Inline	1/4	15mm 3-PIN DIN 43560C (Male Only)	4-Way, 2-Position	24DC	4.8 w	145	1.4
B521BB553C	Inline	1/4	15mm 3-PIN DIN 43560C (Male Only)	4-Way, 2-Position	120AC	6.3 va	145	1.4
B622ADB49A	Inline	3/8	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 2-Position	24DC	4.8 w	145	2.7
B622ADB53A	Inline	3/8	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 2-Position	120AC	6.3 va	145	2.7
B723ADB49A	Inline	1/2	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 2-Position	24DC	4.8 w	145	5.9
B723ADB53A	Inline	1/2	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 2-Position	120AC	6.3 va	145	5.9
B3E0BB549C	Inline	1/8	15mm 3-PIN DIN 43560C (Male Only)	4-Way, 2-Position	24DC	1.2 w	145	0.75
B5E1ADB49C	Inline	1/4	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 2-Position	24DC	4.8 w	145	1.4

**5/2, DOUBLE REMOTE PILOT VALVE**

**B SERIES**



Part No.	Mounting	Port Size	Electrical Interface	Function	Voltage	Max Pressure	Flow (Cv)
B3F0000XXC	Inline	1/8	REMOTE PILOT VALVE	4-Way, 2-Position	N/A	145	0.75
B6F2000XXA	Inline	3/8	REMOTE PILOT VALVE	4-Way, 2-Position	N/A	145	2.7

5/3, DOUBLE SOLENOID, APB/CE

B SERIES



Part No.	Mounting	Port Size	Electrical Interface	Function	Voltage	W / VA	Max Pressure	Flow (Cv)
B350BB549C	Inline	1/8	15mm 3-PIN DIN 43560C (Male Only)	4-Way, 3-Position	24DC	1.2 w	145	0.75
B350BB553C	Inline	1/8	15mm 3-PIN DIN 43560C (Male Only)	4-Way, 3-Position	120AC	1.6 va	145	0.75
B551ADB49C	Inline	1/4	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 3-Position	24DC	4.8 w	145	1.4
B551ADB53C	Inline	1/4	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 3-Position	120AC	6.3 va	145	1.4
B551BB549C	Inline	1/4	15mm 3-PIN DIN 43560C (Male Only)	4-Way, 3-Position	24DC	1.2 w	145	1.4
B551BB553C	Inline	1/4	15mm 3-PIN DIN 43560C (Male Only)	4-Way, 3-Position	120AC	1.6 va	145	1.4
B652ADB49A	Inline	3/8	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 3-Position	24DC	4.8 w	145	2.7
B652ADB53A	Inline	3/8	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 3-Position	120AC	6.3 va	145	2.7
B360BB549C	Inline	1/8	15mm 3-PIN DIN 43560C (Male Only)	4-Way, 3-Position	24DC	1.2 w	145	0.75
B360BB553C	Inline	1/8	15mm 3-PIN DIN 43560C (Male Only)	4-Way, 3-Position	120AC	1.6 va	145	0.75
B561ADB49C	Inline	1/4	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 3-Position	24DC	4.8 w	145	1.4
B561ADB53C	Inline	1/4	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 3-Position	120AC	6.3 va	145	1.4
B561BB549C	Inline	1/4	15mm 3-PIN DIN 43560C (Male Only)	4-Way, 3-Position	24DC	1.2 w	145	1.4
B561BB553C	Inline	1/4	15mm 3-PIN DIN 43560C (Male Only)	4-Way, 3-Position	120AC	1.6 va	145	1.4
B662ADB49A	Inline	3/8	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 3-Position	24DC	4.8 w	145	2.7
B662ADB53A	Inline	3/8	22mm RECTANGLER 3-PIN, TYPE B INDUSTRIAL	4-Way, 3-Position	120AC	6.3 va	145	2.7